## TOOLS FOR SCHOOLS CHECKLIST

School: River Street A Room or Area: all	Autism Program at Birken  Date Completed:
Signature:	
	_Building and Grounds
NA	_Food Service
	Integrated pest Management
	_Ventilation
	_Walkthrough Inspection
	Waste Management



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# Building and Grounds Maintenance Checklist

1.	BUILDING MAINTENANCE SUPPLIES	Yes	No	N/A
1a.	Developed appropriate procedures and stocked supplies for spill control	رٍ□		Ø
1b.	Reviewed supply labels	ø		
1c.	Ensured that air from chemical and trash storage areas vents to the outdoors			Ø
	Stored chemical products and supplies in sealed, clearly labeled containers	🗖	٥	4
1e.	Researched and selected the safest products available	🗖		7
	Ensured that supplies are being used according to manufacturers' instructions	🗖		4
_	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	🗆		5
1h.	Substituted less- or non-hazardous materials (where possible)	. 🔾		7
1 i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	. 🗅		P
1j.	Ventilated affected areas during and after the use of odorous or hazardous chemicals	. 🗅		7
2.	GROUNDS MAINTENANCE SUPPLIES			/
2a.	Stored grounds maintenance supplies in appropriate area(s)	. 🖸		7
	Ensured that supplies are used and stored according to manufacturers' instructions	. 🗅	۵	<b>/</b>
	Established and followed procedures to minimize exposure to fumes from supplies	. 🗅		A CANADA
2d.	Reviewed and followed manufacturers' guidelines for maintenance	. 🗖		7
2e.	Replaced portable gas cans with low-emission cans	. 🗖		Y2
2f.	containers	. 🗅		P
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	. 🖸		7
3.	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	. 🗷		
3b.	Used high efficiency vacuum bags  Used proper dusting techniques  Wrapped feather dusters with a dust cloth	. <b>7</b>		
3c.	Used proper dusting techniques	. <b>p</b>		
3d.	Wrapped feather dusters with a dust cloth	.9		
2.0	Closed air return grilles and air supply yents			

4.	FLOOR CLEANING	Yes	No	N/A	
4b.	Established and followed schedule for vacuuming and mopping floors  Cleaned spills on floors promptly (as necessary)		, <b></b>		NO N
5.	DRAIN TRAPS				
5b.	Poured water down floor drains once per week (about 1 quart of water)			0	B-olay
	MOISTURE, LEAKS, AND SPILLS	سی.	_	_	
	Checked for moldy odors	.p			
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	. <b>7</b>		ū	
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	_			
6d.	Checked that windows, windowsills, and window frames are free of condensate	. <b>/</b> 2			
	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	. 🗹		٥	
61.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks				
	Walls around leaky or broken windows	. <b>Z</b>			
	Floors and ceilings under plumbing	. <b>Z</b>			
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes	. ул	J	<u>u</u>	
7.	COMBUSTION APPLIANCES				
7a.	Checked for odors from combustion appliances	ø			
	Checked appliances for backdrafting (using chemical smoke)			7	
7c.	Inspected exhaust components for leaks, disconnections, or deterioration			5	
7d.	Inspected flue components for corrosion and soot	. <b>u</b>		4	
8.	PEST CONTROL				
8a.	Completed the Integrated Pest Management Checklist	Þ			



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## Integrated Pest Management Checklist

	Name: Capitol Region Education Council School: River Street Autism Program at Birken			
	Room or Area: all Date Completed: 10-70-25			
	Signature: Dense andle			
1	OFFICIAL POLICY STATEMENT	Yes	No	N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	. P		
2.	DESIGNATING PEST MANAGEMENT ROLES	1		
2b.	Assigned and trained a qualified person to be the pest manager	. <b>5</b> /		0
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	P		
	Encouraged parents to learn about IPM practices and implement them at home	, Ø		_ _
2e. 2f.	Included language about IPM into contracts with pest management professionals	.≠ .∳	<u> </u>	<u> </u>
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	. <b>Z</b> Ž		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	1		
4.	INSPECTING, IDENTIFYING, AND MONITORING			
	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	.9"		
4b.	Identified potential pest habitats in buildings and grounds  Pinpointed the source of any current pest problems			
4d.	Monitored to determine the extent of pest problems and to estimate pest populations	7	_	_ _
	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems			0
4f.	Established a monitoring program that consists of routine inspections to			

estimate pest population levels and identify evidence of pests and

potential habitat

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring		No	N/A
	occupants can tolerate		۵	۵
5c.	Set action thresholds	⁄∆		
•	PREVENTIVE STRATEGIES			
INI	DOOR SITES	Howin	o are	986.
6a.	Implemented appropriate strategies to prevent pests from inhabiting the fo	ulowiii ✓□	g and	
	• Entryways	≱ ⊡⁄		0
	• Classrooms	صر ا⊏		
	Gymnasiums	سےر با⊓		
	• Locker rooms	<u>Jar</u>		
	• Offices	⊍.	J []	
	• Staff lounges	<u>ख</u>	J []	
	Bathrooms	💆		
	Food preparation and serving areas	<del>'Y</del>		0
	Rooms with extensive plumbing	<b>.</b>	<u> </u>	
	Maintenance areas	🛂		
	• Other	🖭	J	٦
OU	TDOOR SITES			
6h	Implemented appropriate strategies to prevent pests from inhabiting the fo	llowin	g are	eas:
00.	• Playgrounds			
	• Parking lots	🖵		
	• Lawns and athletic fields			
	• Teaching gardens or greenhouses	<u>ط</u> طر	ш	
	Loading docks	سلسلون	ш	
	• Dumpsters	سراليا		
	Areas with ornamental shrubs and trees	رسلمارن	_ 🖳	
	• Other			
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that	įγ	, 	П
	pesticides were necessary		_	_
	pest management methods			
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem,			
	preferably as baitsand granules			
74	provious d and followed all label instructions on pesticides and learned	_		
	how to properly apply and handle these chemicals	Ø		
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply			
	posticides whenever possible and only treated the obviously intested	d	_ 	
	plants in the area	<u>-</u>		_
7f.	Used protective clothing or equipment when applying pesticides	₩	, <b>"</b>	J
7g.	Placed all pesticides in tamper-resistant bait boxes or locations that are inaccessible to children and non-target species	🗗	ٔ ت	
	inaccessible to children and non-target species		_	





<b>7</b> .	PESTICIDE USE AND STORAGE (cont.)			
7h.	runway of the box	∕es ∕∕	No □	N/
7i.	Applied pesticides when occupants were not present or in areas where / they would not be exposed to the chemicals	þ		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	7	0	
		7		
		<b>A</b>		
	designated personner	₫		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	21		
7o.	Ensured that flammable liquids are stored away from ignition sources	2	ā	
7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened			
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	7		
8.	EVALUATING RESULTS AND RECORD KEEPING			
	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	<b>#</b>	۵	
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	ב		
8c.	Ensured that each log book contains the following items:  Copy of the pest management plan	7) 7) <b>2</b> )		
	2			



- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

### **Ventilation Checklist**

	Name: Capitol Region Education Council  School: River Street Autism Program at Birken  Room or Area: all  Date Completed:			
1.	OUTDOOR AIR INTAKES			
la.	Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	Yes	No	N/A
1b.	Ensured that the ventilation system was on and operating in "occupied" mode	1		
	TIVITY 1: OBSTRUCTIONS			
	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	. <b>/</b>		
1d.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)		0	
	TIVITY 2: POLLUTANT SOURCES			
	Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)	.≠		
11.	toilet or laboratory exhaust fans; puddles; and mist from	□at		
1g.	air-conditioning cooling towers)		_	_
	intakes (e.g., relocated dumpster or extended exhaust pipe)	4		<u> </u>
	TIVITY 3: AIRFLOW  Obtained chemical smoke (or a small piece of tissue paper or light plastic).	. <b>d</b>		
1i.	Obtained chemical smoke (or a small piece of tissue paper or light plastic). Confirmed that outdoor air is entering the intake appropriately			
2.	SYSTEM CLEANLINESS			
	TIVITY 4: AIR FILTERS  Replaced filters per maintenance schedule	. 🗷		
2b.	Shut off ventilation system fans while replacing filters (prevents dirt from	١.	_	
	blowing downstream)	4	0	
	Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter	7		
2e.	Confirmed proper installation of filters (correct direction for airflow)	4		

### 2. SYSTEM CLEANLINESS (continued)

AC	CTIVITY 5: DRAIN PANS			
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)  Cleaned drain pans  Checked drain pans for mold and mildew	Yes . 🏳	No	N/
2g.	Cleaned drain pans	. 🗷		
2h.	Checked drain pans for mold and mildew	7		
AC	TIVITY 6: COILS	_		
2i.	Ensured that heating and cooling coils are clean	. 🛭		
AC	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator	<b>□</b> Λ		
	(air-mixing chamber and fan blades) is clean  Ensured that ducts are clean			
2k.	Ensured that ducts are clean	هر.	J	٠
	TIVITY 8: MECHANICAL ROOMS			
21.	Checked mechanical room for unsanitary conditions, leaks, and spills	١	_	J
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies	.6		
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
3a.	Ensured that air dampers are at least partially open (minimum position)	. <b>A</b>		
3b.	Ensured that minimum position provides adequate outdoor air	4		
	for occupants	. ш		
	TIVITY 9: CONTROLS INFORMATION			
3c.	Obtained and reviewed all design inside/outside temperature and humidity			
	requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed)	. 🗹		
		· Т		
AC	TIVITY 10: CLOCKS, TIMERS, SWITCHES	-4	_	
3d.	Turned summer-winter switches to the correct position	. 🔼		
3e.	Set time clocks appropriately	. 7		Ų.
3f.	Ensured that settings fit the actual schedule of building use (including	ď		
	night/weekend use)	. •	_	_
AC	TIVITY 11: CONTROL COMPONENTS			
3g.	Ensured appropriate system pressure by testing line pressure at both the			
	occupied (day) setting and the unoccupied (night) setting			7
	Checked that the line dryer prevents moisture buildup	. •	_	7
3i.	Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you			
	blow down the tank)	. 🗆		7
3j.	Set the line pressure at each thermostat and damper actuator at the proper			٠,
	level (no leakage or obstructions)	. 🗖		P
AC'	TIVITY 12: OUTDOOR AIR DAMPERS			
3k.	Ensured that the outdoor air damper is visible for inspection	. 77		
31.	Ensured that the recirculating relief and/or exhaust dampers are visible	( 		_
	for inspection	. 🖊		u
3m.	Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range	6		
	outdoor an damper is within the normal operating range	. 1		_



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes . 🔼	No □	N/
3o.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	)		
3p.	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room			
3q.	thermostat is set to 85°F	m		_
3r	to 60°F and mixed air thermostat is set to 45°F	<b>.</b> P		
31.	<ul> <li>The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight</li></ul>	. <del>-</del>	0 0 0	A PA PA
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.	. —	_	_
	TIVITY 13: FREEZE STATS			
	Disconnected power to controls (for automatic reset only) to test continuity across terminals	. 🗖	a	7
	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	. 🗆		ø
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats			, -
clos	TE: HVAC systems with water coils need protection from the cold. The freeze see the outdoor air damper and disconnect the supply air when tripped. The tyge is $35^{\circ}F$ to $42^{\circ}F$ .	-stat pical	may ' trip	
AC	TIVITY 14: MIXED AIR THERMOSTATS			
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	<b>4</b>		Q
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	4		
AC'	TIVITY 15: ECONOMIZERS			
	Confirmed proper economizer settings based on design specifications or local practices	7		
NO.	TE: The dry-bulb is typically set at 65°F or lower.	ľ		
3y. 3z.	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications	1	<b>.</b>	0
load Dry and	TE: Economizers use varying amounts of cool outdoor air to assist with the cold of the room or rooms. There are two types of economizers, dry-bulb and entended by the conomizers vary the amount of outdoor air based on outdoor temperal enthalpy economizers vary the amount of outdoor air based on outdoor temperal humidity level.	thalp) iture,	ν.	

#### 3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning ....... NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor 4f. Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of 4h. Ensured that unit ventilators are quiet enough to accommodate classroom Ensured that classrooms are free of uncomfortable drafts produced by air **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4i. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)....... 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) ..... 🚨 💢 If fans are running but air is not flowing toward the exhaust intake, check for the following: · Inoperable dampers · Obstructed, leaky, or disconnected ductwork

Undersized or improperly installed fan


· Broken fan belt





### 5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW		
NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kit and labs by keeping them under negative pressure (as compared to surrounding space	chens ces).	ς,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	No	N/A
Stand outside the room with the door slightly open while checking airflow high and l the door opening (see "How to Measure Airflow").	ow ii	n
5c. Ensured that air is flowing toward the exhaust intake		
ACTIVITY 21: EXHAUST DUCTWORK  5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition		0
6. QUANTITY OF OUTDOOR AIR		
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS		
NOTE: Refer to "How to Measure Airflow" for techniques.		
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit		
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration		
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1		



## Walkthrough Inspection Checklist

Name: Capitol Region Education Council	
School: River Street Autism Program at Birken	
School: River Street Autism Program at Birken  Room or Area: all Date Completed: 4062/2029  Signature:	
Signature:	

In	str	uc	tic	on	S
	~	~~			-

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1.	GROUND LEVEL	Yeş	No	N/A
la.	Ensured that ventilation units operate properly	💋		
1h	Ensured there are no obstructions blocking air intakes	🗘		
1c.	Checked for nests and droppings near outdoor air intakes	\$		
1d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	•		
	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	<u>F</u>		
1f.	Ensured that vehicles avoid idling near outdoor air intakes	🛂		
1g.	Minimized pesticide application	<b>u</b>		1
	Ensured that there is proper drainage away from the building (including roof downspouts)	\$		
li.	Ensured that sprinklers spray away from the building and outdoor air intakes	<b>p</b>		
lj.	Ensured that walk-off mats are used at exterior entrances and that	, □20		
	they are cleaned regularly	#		
	ROOF			
Whi	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist	).	
2a.	Ensured that the roof is in good condition	⊈		
2b.	Checked for evidence of water ponding	<b>P</b>		
2c.	Checked that ventilation units operate properly (air flows in)	<u>P</u>		
2d.	Ensured that exhaust fans operate properly (air flows out)	🋂		
2e.	Ensured that air intakes remain open, even at minimum setting	<b>y</b>		
2f.	Checked for nests and droppings near outdoor air intakes	🏴		
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away	m		
	from outdoor air intakes		_	J
-	ATTIC			
3a.	Checked for evidence of roof and plumbing leaks	Ø		
3b.	Checked for birds and animal nests	🗘		
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within			
	accentable ranges	<b>7</b>		
4b.	Ensured that no obstructions exist in supply and exhaust vents	7		
4c.	Checked for odors	🔁		
4d.	Checked for signs of mold and mildew growth	🔼		

4. GE	ENERAL CONSIDERATIONS (continued)	Yes	No	N/A	
4e. Cl 4f. Cl 4g. No	hecked for signs of water damage	AZZ			
5. B/	ATHROOMS AND GENERAL PLUMBING				
5a. En	nsured that bathrooms and restrooms have operating exhaust fansnsured proper drain trap maintenance:	<b>7</b>			
W	later is poured down floor drains once per week (approx. 1 quart of water atter is poured into sinks at least once per week (about 2 cups of water)  bilets are flushed at least once per week	) \$\forall 1 \\\forall 1 \\\forall 2 \		0	
6. M	AINTENANCE SUPPLIES				
bu	nsured that chemicals are used only with adequate ventilation and when illding is unoccupied	<b>p</b>		٥	
6b. En	operly	🗆		Ø	
6c. En	asured that portable fuel containers are properly closed	🗆		A	
be. be	en serviced and maintained according to manufacturers' guidelines	🗆		P	
7. CC	OMBUSTION APPLIANCES				
7a. Ch	necked for combustion gas and fuel odors	<b>.</b>			
7c. Ch 7d. En	necked for combustion gas and fuel odors	0		5	
8. OT	THER				
8a. Ch	necked for peeling and flaking paint (if the building was built before 80, this could be a lead hazard)	🖸		Ø	
8b. De	etermined date of last radon test	🗆		A	



- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

## **Waste Management Checklist**

Name: Capitol Region Education Council	
School: River Street Autism Program at Birken	
Room or Area: all Date Completed: 10 -76 -2	
Signature. Doma Du Ble	

1.	WASTE MANAGEMENT Yes	No	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)		
1b.	Ensured that waste containers are lined	0	
1c.	Ensured that waste from art, science, vocational classes, etc., are handled separately		
1d.	Labeled recycling bins clearly		
1e.	Ensured number of bins and dumpsters is adequate		
1 f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)		
1g.	Ensured waste containers are emptied regularly		
1h.	Ensured appropriate waste removal schedule		
1i.	Ensured waste is stored in a well-ventilated room		
1j.	Ensured any exhaust fans in the room are operating properly		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin		
	/		